FCC FORM 442 Page 1 of 17

# FCC FORM 442 - FEDERAL COMMUNICATIONS COMMISSION APPLICATION FOR NEW OR MODIFIED RADIO STATION UNDER PART 5 OF FCC RULES - EXPERIMENTAL RADIO SERVICE (OTHER THAN BROADCAST)

Approved by OMB 3060 - 0065 Expires 09/30/98

1. Applicant's Name (company)

American Radio Relay League, Inc.

File No. 0105-EX-PL-2005

2. Mailing Address:

Attention: Christopher D. Imlay Street Address: 225 Main Street

P.O. Box:

City: Newington State: CT Zip Code: 06111

Country:

E-Mail Address: W3KD@ARRL.ORG 3(a). Application is for: NEW LICENSE 3(b). For Modification indicate below:

File No: Callsign:

- 4. Is this authorization to be used for fulfilling the requirement of a government contract with an agency of the United States Government? If "YES", include as an exhibit a narrative statement describing the government project, agency and contract number.
- 5. Is this authorization to be used for the exclusive purpose of developing radio equipment for export to be employed by stations under the jurisdiction of a foreign government? If "YES", include the contract number and the name of the foreign government concerned as an exhibit.
- 6. Is this authorization to be used for providing communications essential to a research project? (The radio communication is not the objective of the research project)? If "YES", include as an exhibit the following information:
  - a. A description of the nature of the research project being conducted.
  - b. A showing that the communications facilities requested are necessary for the research project involved.
  - c. A showing that existing communications facilities are inadequete.
- 7. If all the answers to Items 4, 5, 6 are "NO", include as an exhibit a narrative statement describing in detail the following items:
  - a. The complete program of research and experimentation proposed including description of equipment and theory of operation.
  - b. The specific objectives sought to be accomplished.
  - c. How the program of experimentation has a reasonable promise of contribution to the development, extension, expansion or utilization of the radio art, or is along line not already investigated.
- 8. Give an estimate of the length of time that will be required to complete the program of experimentation proposed in this application:
- 9. Would a commission grant of this application come within Section 1.1307 of the FCC Rules, such that it may have a significant environmental impact? If "YES", include as an exhibit an Environmental Assessment as required by Section 1.1311.
- 10. List below transmitting equipment to be installed (if experimental, so state) if additional rows are required, please submit equipment list as an exhibit:

Manufacturer	Model Number	No. Of Units	Experimental
Various		23	No

11. Is the equipment listed in Item 10 capable of station identification pursuant to Section 5.115?

Yes

FCC FORM 442 Page 2 of 17

12. Applicant is: Association

13. Is applicant a foreign government or a representative of a foreign government? No

14. Has applicant or any party to this application had any FCC station license or permit revoked or any application for permit, license or renewal denied by this Commission?

No

If "YES", include as an exhibit a statement giving call sign of license or permit revoked and relate circumstances.

15. Will applicant be owner and operator of the station?

No

16. Give the following information of person who can best handle inquiries pertaining to this application:

First Name: Frederick Last Name: Raab

Title: Experimental Project Manager Phone Number: 802-655-9670 E-Mail Address: f.raab@ieee.org

### 17. APPLICANT ANTI-DRUG ABUSE CERTIFICATION:

By checking "YES", the individual applicant certifies that he or she is eligible for this license. This requires that he or she is not subject to a denial of federal benefits, including FCC benefits, as a result of a drug offense conviction pursuant to Section 5301 of the Anti-Drug Abuse Act of 1988, 21 U.S.C. 862. A non-individual applicant, e.g., corporation. partnership or other unincorporated association, certifies that no party to the application is subject to a denial of federal benefits, pursuant to that section. For definition of a "party" for these purposes, see 47CFR 1.2002(b).

Yes

18. CERTIFICATION:

THE APPLICANT CERTIFIES THAT:

- a. Copies of the FCC Rule Parts 2 and 5 are on hand; and
- b. Adequete financial appropriations have been made to carry on the program of experimentation which will be conducted by qualified personnel; and
- c. All operations will be on an experimental basis in accordance with Part 5 and other applicable rules, and will be conducted in such a manner and at such a time as to preclude harmful interference to any authorized station; and
- d. Grant of the authorization requested herein will not be construed as a finding on the part of the Commission:
  - 1. that the frequencies and other technical parameters specified in the authorization are the best suited for the proposed program of experimentation, and
  - 2. that the applicant will be authorized to operate on any basis other than experimental, and
  - 3. that the Comission is obligated by the results of the experimental program to make provision in its rules including its table of frequency allocations for applicant's type of operation on a regularly licensed basis.

#### THE APPLICANT FURTHER CERTIFIES THAT:

- e. All the statements in the application and attached exhibits are true, complete and correct to the best of the applicant's knowledge; and
- f. The applicant is willing to finance and conduct the experimental program with full knowledge and understanding of the above limitations; and
- g. The applicant waives any claim to the use of any particular frequency or of the electromagnetic spectrum as against the regulatory power of the USA.

Name of Applicant: American Radio Relay League, Inc.
Signature (Authorized person filing form): David Sumner
Signature Date (Authorized person filing form): 04/04/2005
Title of Person Signing Application: Executive Vice President
Classification: Office of applicant corporation or association

WILLFUL FALSE STATEMENTS MADE ON THIS FORM ARE PUNISHABLE BY FINE AND/OR

FCC FORM 442 Page 3 of 17

IMPRISONMENT (U.S. CODE, TITLE 18, SECTION 1001), AND/OR REVOCATION OF ANY STATION LICENSE OR CONSTRUCTION PERMIT (U.S. CODE, TITLE 47, SECTION 312(A)(1)), AND/OR FORFEITURE (U.S. CODE, TITLE 47, SECTION 503).

# NOTIFICATION TO INDIVIDUALS UNDER PRIVACY ACT OF 1974 AND THE PAPERWORK REDUCTION ACT OF 1980

Information requested through this form is authorized by the Communications Act of 1934, as amended, and specified by Section 308 therein. The information will be used by Federal Communications Commission staff to determine eligibility for issuing authorizations in the use of the frequency spectrum and to effect the provisions of regulatory responsibilities rendered by the Commission by the Act. Information requested by this form will be available to the public unless otherwise requested pursuant to 47 CFR 0.459 of the FCC Rules and Regulations. Your response is required to obtain this authorization.

Public reporting burden for this collection of information is estimated to average four (4) hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden to the Federal Communications Commission, Records Management Branch, Paperwork Reduction Project (3060-0065), Washington DC 20554. DO NOT send completed applications to this address. Individuals are not required to respond to this collection unless it displays a currently valid OMD control number.

THE FOREGOING NOTICE IS REQUIRED BY THE PRIVACY ACT OF 1974, P.L. 93-579, DECEMBER 31, 1974, 5 U.S.C. 552a(e)(3), AND THE PAPERWORK REDUCTION ACT OF 1980, P.L. 96-511, DECEMBER 11, 1980, 44 U.S.C. 3507.

## **Station Location**

	City	State	Latitude		Longitude						
(1)	Jamestown	RI	North	41	17	53	West	71	13	39	Mobile:
	Street	County	]								
	761 Beavertail Road										

Datum: NAD 27

Is a directional antenna (other than radar) used? No

**Exhibit submitted: No** 

- (a) Width of beam in degrees at the half-power point:
- (b) Orientation in horizontal plane:
- (c) Orientation in vertical plane:

- (a) Overall height above ground to tip of antenna in meters: 18.00
- (b) Elevation of ground at antenna site above mean sea level in meters: 23.00
- (c) Distance to nearest aircraft landing area in kilometers: 13.00
- (d) List any natural formations of existing man-made structures (hills, trees, water tanks, towers, etc.) which, in the opinion of the applicant, would tend to shield the antenna from aircraft: existing antenna

Action	Frequency	Station Class	Output Power/ERP	Mean/ Peak	Frequency Tolerance (+/-)	Emission Designator	Modulating Signal
			N/A / N/A				

FCC FORM 442 Page 4 of 17

(2)	Hammond	LA	North	30	27	0	West	90	31	0	Mobile:
	Street	County	]								
	40406 Edgar Traylor Road										

Datum: NAD 27

Is a directional antenna (other than radar) used? No

**Exhibit submitted: No** 

- (a) Width of beam in degrees at the half-power point:
- (b) Orientation in horizontal plane:
- (c) Orientation in vertical plane:

Will the antenna extend more than 6 meters above the ground, or if mounted on an existing building, will it extend more than 6 meters above the building, or will the proposed antenna be mounted on an existing structure other than a building? Yes

- (a) Overall height above ground to tip of antenna in meters: 15.00
- (b) Elevation of ground at antenna site above mean sea level in meters: 8.00
- (c) Distance to nearest aircraft landing area in kilometers: 18.00
- (d) List any natural formations of existing man-made structures (hills, trees, water tanks, towers, etc.) which, in the opinion of the applicant, would tend to shield the antenna from aircraft: existing antenna

Action	Frequency	Station Class	Output Power/ERP	Mean/ Peak	Frequency Tolerance (+/-)	Emission Designator	Modulating Signal
New	495.00000000- 510.00000000 kHz	FX	100.000000 W / 20.000000 W	Р			

(3)	Rhome	TX	North	33	9	32	West	97	28	48	Mobile:
	Street	County									
	211 Hidden Meadow Court										

Datum: NAD 27

Is a directional antenna (other than radar) used? No

**Exhibit submitted: No** 

- (a) Width of beam in degrees at the half-power point:
- (b) Orientation in horizontal plane:
- (c) Orientation in vertical plane:

- (a) Overall height above ground to tip of antenna in meters: 12.00
- (b) Elevation of ground at antenna site above mean sea level in meters: 250.00

FCC FORM 442 Page 5 of 17

- (c) Distance to nearest aircraft landing area in kilometers: 13.00
- (d) List any natural formations of existing man-made structures (hills, trees, water tanks, towers, etc.) which, in the opinion of the applicant, would tend to shield the antenna from aircraft: existing antennna

Action	Frequency	Station Class	Output Power/ERP	Mean/ Peak	Frequency Tolerance (+/-)	Emission Designator	Modulating Signal
New	495.00000000- 510.00000000 kHz	FX	100.000000 W / 20.000000 W	P			

(4)	Burbank	CA	North	34	11	19	West	118	<b>17</b>	46	Mobile:
	Street	County									
	1054 East Olive Avenue										

Datum: NAD 27

Is a directional antenna (other than radar) used? No

**Exhibit submitted: No** 

- (a) Width of beam in degrees at the half-power point:
- (b) Orientation in horizontal plane:
- (c) Orientation in vertical plane:

Will the antenna extend more than 6 meters above the ground, or if mounted on an existing building, will it extend more than 6 meters above the building, or will the proposed antenna be mounted on an existing structure other than a building? Yes

- (a) Overall height above ground to tip of antenna in meters: 24.00
- (b) Elevation of ground at antenna site above mean sea level in meters: 213.00
- (c) Distance to nearest aircraft landing area in kilometers: 6.00
- (d) List any natural formations of existing man-made structures (hills, trees, water tanks, towers, etc.) which, in the opinion of the applicant, would tend to shield the antenna from aircraft: existing antenna

Action	Frequency	Station Class	Output Power/ERP	Mean/ Peak	Frequency Tolerance (+/-)	Emission Designator	Modulating Signal
New	495.00000000- 510.00000000 kHz	FX	100.000000 W / 20.000000 W	Р			

(5)	Bow	NH	North	43	7	30	West	71	30	<b>59</b>	Mobile:
	Street	County									
	9 Dean Avenue										

Datum: NAD 27

Is a directional antenna (other than radar) used? No

FCC FORM 442 Page 6 of 17

**Exhibit submitted: No** 

- (a) Width of beam in degrees at the half-power point:
- (b) Orientation in horizontal plane:
- (c) Orientation in vertical plane:

Will the antenna extend more than 6 meters above the ground, or if mounted on an existing building, will it extend more than 6 meters above the building, or will the proposed antenna be mounted on an existing structure other than a building? Yes

- (a) Overall height above ground to tip of antenna in meters: 20.00
- (b) Elevation of ground at antenna site above mean sea level in meters: 145.00
- (c) Distance to nearest aircraft landing area in kilometers: 11.00
- (d) List any natural formations of existing man-made structures (hills, trees, water tanks, towers, etc.) which, in the opinion of the applicant, would tend to shield the antenna from aircraft: existing antenna

Action	Frequency	Station Class	Output Power/ERP	Mean/ Peak	Frequency Tolerance (+/-)	Emission Designator	Modulating Signal
New	495.00000000- 510.00000000 kHz	FX	100.000000 W / 20.000000 W	Р		150HA1A	50 baud

Action	Frequency	Station Class	Output Power/ERP	Mean/ Peak	Frequency Tolerance (+/-)	Emission Designator	Modulating Signal
New	495.00000000- 510.00000000 kHz	FX	100.000000 W / 20.000000 W	Р		60Н0Ј2В	31.25 baud

(6)	Long Beach	MS	North	30	12	<b>59</b>	West	89	4	49	Mobile:
	Street	County									
	1157 East Old Pass Road										

Datum: NAD 27

Is a directional antenna (other than radar) used? No

**Exhibit submitted: No** 

- (a) Width of beam in degrees at the half-power point:
- (b) Orientation in horizontal plane:
- (c) Orientation in vertical plane:

- (a) Overall height above ground to tip of antenna in meters: 20.00
- (b) Elevation of ground at antenna site above mean sea level in meters: 7.00
- (c) Distance to nearest aircraft landing area in kilometers: 10.00
- (d) List any natural formations of existing man-made structures (hills, trees, water tanks, towers, etc.) which, in the opinion of the applicant, would tend to shield the antenna from aircraft: existing antenna

FCC FORM 442 Page 7 of 17

Action	Frequency	Station Class	Output Power/ERP	Mean/ Peak	Frequency Tolerance (+/-)	Emission Designator	Modulating Signal
New	495.00000000- 510.00000000 kHz	FX	100.000000 W / 20.000000 W	P			

(7)	Jefferson	LA	North	29	34	28	West	90	6	13	Mobile:
	Street	County									
	715 Jefferson Heights Avenue										

Datum: NAD 27

Is a directional antenna (other than radar) used? No

**Exhibit submitted: No** 

- (a) Width of beam in degrees at the half-power point:
- (b) Orientation in horizontal plane:
- (c) Orientation in vertical plane:

Will the antenna extend more than 6 meters above the ground, or if mounted on an existing building, will it extend more than 6 meters above the building, or will the proposed antenna be mounted on an existing structure other than a building? Yes

- (a) Overall height above ground to tip of antenna in meters: 26.00
- (b) Elevation of ground at antenna site above mean sea level in meters: 2.00
- (c) Distance to nearest aircraft landing area in kilometers: 8.00
- (d) List any natural formations of existing man-made structures (hills, trees, water tanks, towers, etc.) which, in the opinion of the applicant, would tend to shield the antenna from aircraft: existing antenna

Action	Frequency	Station Class	Output Power/ERP	Mean/ Peak	Frequency Tolerance (+/-)	Emission Designator	Modulating Signal
New	495.00000000- 510.00000000 kHz	FX	100.000000 W / 20.000000 W	P			

(8)	McLean	VA	North	38	55	58	West	77	10	17	Mobile:
	Street	County									
	6915 Chelsea Road										

Datum: NAD 27

Is a directional antenna (other than radar) used? No

- (a) Width of beam in degrees at the half-power point:
- (b) Orientation in horizontal plane:

FCC FORM 442 Page 8 of 17

(c) Orientation in vertical plane:

Will the antenna extend more than 6 meters above the ground, or if mounted on an existing building, will it extend more than 6 meters above the building, or will the proposed antenna be mounted on an existing structure other than a building? Yes

- (a) Overall height above ground to tip of antenna in meters: 15.00
- (b) Elevation of ground at antenna site above mean sea level in meters: 104.00
- (c) Distance to nearest aircraft landing area in kilometers: 16.00
- (d) List any natural formations of existing man-made structures (hills, trees, water tanks, towers, etc.) which, in the opinion of the applicant, would tend to shield the antenna from aircraft: existing antenna

Action	Frequency	Station Class	Output Power/ERP	Mean/ Peak	Frequency Tolerance (+/-)	Emission Designator	Modulating Signal
New	495.00000000- 510.00000000 kHz	FX	100.000000 W / 20.000000 W	Р			

(9)	Jamestown	NJ	North	41	<b>17</b>	54	West	71	13	39	Mobile:
	Street	County									
	14 Washington Street										

Datum: NAD 27

Is a directional antenna (other than radar) used? No

Exhibit submitted: No

- (a) Width of beam in degrees at the half-power point:
- (b) Orientation in horizontal plane:
- (c) Orientation in vertical plane:

- (a) Overall height above ground to tip of antenna in meters: 17.00
- (b) Elevation of ground at antenna site above mean sea level in meters: 11.00
- (c) Distance to nearest aircraft landing area in kilometers: 24.00
- (d) List any natural formations of existing man-made structures (hills, trees, water tanks, towers, etc.) which, in the opinion of the applicant, would tend to shield the antenna from aircraft: existing antenna

Action	Frequency	Station Class	Output Power/ERP	Mean/ Peak	Frequency Tolerance (+/-)	Emission Designator	Modulating Signal
New	495.00000000- 510.00000000 kHz	FX	100.000000 W / 20.000000 W	P			

FCC FORM 442 Page 9 of 17

Datum: NAD 27

Is a directional antenna (other than radar) used? No

**Exhibit submitted: No** 

- (a) Width of beam in degrees at the half-power point:
- (b) Orientation in horizontal plane:
- (c) Orientation in vertical plane:

Will the antenna extend more than 6 meters above the ground, or if mounted on an existing building, will it extend more than 6 meters above the building, or will the proposed antenna be mounted on an existing structure other than a building? Yes

- (a) Overall height above ground to tip of antenna in meters: 33.00
- (b) Elevation of ground at antenna site above mean sea level in meters: 67.00
- (c) Distance to nearest aircraft landing area in kilometers: 21.00
- (d) List any natural formations of existing man-made structures (hills, trees, water tanks, towers, etc.) which, in the opinion of the applicant, would tend to shield the antenna from aircraft: existing antenna

Action	Frequency	Station Class	Output Power/ERP	Mean/ Peak	Frequency Tolerance (+/-)	Emission Designator	Modulating Signal
New	495.00000000- 510.00000000 kHz	FX	100.000000 W / 20.000000 W	P			

(11)	Cookeville	TN	North	36	13	37	West	85	33	0	Mobile:
	Street	County									
	3927 Huntington Drive										

Datum: NAD 27

Is a directional antenna (other than radar) used? No

**Exhibit submitted: No** 

- (a) Width of beam in degrees at the half-power point:
- (b) Orientation in horizontal plane:
- (c) Orientation in vertical plane:

- (a) Overall height above ground to tip of antenna in meters: 12.00
- (b) Elevation of ground at antenna site above mean sea level in meters: 301.00
- (c) Distance to nearest aircraft landing area in kilometers: 24.00
- (d) List any natural formations of existing man-made structures (hills, trees, water tanks, towers, etc.) which, in the opinion of the applicant, would tend to shield the antenna from aircraft: existing antenna

FCC FORM 442 Page 10 of 17

Action	Frequency	Station Class	Output Power/ERP	Mean/ Peak	Frequency Tolerance (+/-)	Emission Designator	Modulating Signal
New	495.00000000- 510.00000000 kHz	FX	100.000000 W / 20.000000 W	P			

(12)	Nederland	СО	North	39	56	37	West	105	34	20	Mobile:
	Street	County	]								
	536 Hurricane Hill Drive										

Datum: NAD 27

Is a directional antenna (other than radar) used? No

**Exhibit submitted: No** 

- (a) Width of beam in degrees at the half-power point:
- (b) Orientation in horizontal plane:
- (c) Orientation in vertical plane:

Will the antenna extend more than 6 meters above the ground, or if mounted on an existing building, will it extend more than 6 meters above the building, or will the proposed antenna be mounted on an existing structure other than a building? Yes

- (a) Overall height above ground to tip of antenna in meters: 18.00
- (b) Elevation of ground at antenna site above mean sea level in meters: 2591.00
- (c) Distance to nearest aircraft landing area in kilometers: 32.00
- (d) List any natural formations of existing man-made structures (hills, trees, water tanks, towers, etc.) which, in the opinion of the applicant, would tend to shield the antenna from aircraft: existing antenna

Action New	Frequency	Station Class	Output Power/ERP	Mean/ Peak	Frequency Tolerance (+/-)	Emission Designator	Modulating Signal
New	495.00000000- 510.00000000 kHz	FX	100.000000 W / 20.000000 W	P			

(13)	Verndale	MN	North	43	36	58	West	94	48	8	Mobile:
	Street	County									
	26699-271st Street										

Datum: NAD 27

Is a directional antenna (other than radar) used? No

- (a) Width of beam in degrees at the half-power point:
- (b) Orientation in horizontal plane:
- (c) Orientation in vertical plane:

FCC FORM 442 Page 11 of 17

Will the antenna extend more than 6 meters above the ground, or if mounted on an existing building, will it extend more than 6 meters above the building, or will the proposed antenna be mounted on an existing structure other than a building? Yes

- (a) Overall height above ground to tip of antenna in meters: 17.00
- (b) Elevation of ground at antenna site above mean sea level in meters: 467.00
- (c) Distance to nearest aircraft landing area in kilometers: 30.00
- (d) List any natural formations of existing man-made structures (hills, trees, water tanks, towers, etc.) which, in the opinion of the applicant, would tend to shield the antenna from aircraft: existing antenna

Action	Frequency	Station Class	Output Power/ERP	Mean/ Peak	Frequency Tolerance (+/-)	Emission Designator	Modulating Signal
New	495.00000000- 510.00000000 kHz	FX	100.000000 W / 20.000000 W	P			

(14)	Colchester	VT	North	44	30	20	West	73	8	40	Mobile:
	Street	County									
	77 Vermont Avenue										

Datum: NAD 27

Is a directional antenna (other than radar) used? No

**Exhibit submitted: No** 

- (a) Width of beam in degrees at the half-power point:
- (b) Orientation in horizontal plane:
- (c) Orientation in vertical plane:

- (a) Overall height above ground to tip of antenna in meters: 13.00
- (b) Elevation of ground at antenna site above mean sea level in meters: 37.00
- (c) Distance to nearest aircraft landing area in kilometers: 5.00
- (d) List any natural formations of existing man-made structures (hills, trees, water tanks, towers, etc.) which, in the opinion of the applicant, would tend to shield the antenna from aircraft: existing antenna

Action	Frequency	Station Class	Output Power/ERP	Mean/ Peak	Frequency Tolerance (+/-)	Emission Designator	Modulating Signal
New	495.00000000- 510.00000000 kHz	FX	100.000000 W / 20.000000 W	Р			

(15)	Roland	AR	North	34	29	40	West	92	18	<b>50</b>	Mobile:
		1	1								

FCC FORM 442 Page 12 of 17

Street	County
8101 Barrett Road	

Datum: NAD 27

Is a directional antenna (other than radar) used? No

**Exhibit submitted: No** 

- (a) Width of beam in degrees at the half-power point:
- (b) Orientation in horizontal plane:
- (c) Orientation in vertical plane:

Will the antenna extend more than 6 meters above the ground, or if mounted on an existing building, will it extend more than 6 meters above the building, or will the proposed antenna be mounted on an existing structure other than a building? No

- (a) Overall height above ground to tip of antenna in meters:
- (b) Elevation of ground at antenna site above mean sea level in meters:
- (c) Distance to nearest aircraft landing area in kilometers:
- (d) List any natural formations of existing man-made structures (hills, trees, water tanks, towers, etc.) which, in the opinion of the applicant, would tend to shield the antenna from aircraft:

Action	Frequency	Station Class	Output Power/ERP	Mean/ Peak	Frequency Tolerance (+/-)	Emission Designator	Modulating Signal
New	495.00000000- 510.00000000 kHz	FX	100.000000 W / 20.000000 W	P			

(16)	St. Francis	MN	North	45	23	20	West	93	22	11	Mobile:
	Street	County									
	3740 227th Ave., NW										

Datum: NAD 27

Is a directional antenna (other than radar) used? No

**Exhibit submitted: No** 

- (a) Width of beam in degrees at the half-power point:
- (b) Orientation in horizontal plane:
- (c) Orientation in vertical plane:

- (a) Overall height above ground to tip of antenna in meters: 15.00
- (b) Elevation of ground at antenna site above mean sea level in meters: 280.00
- (c) Distance to nearest aircraft landing area in kilometers: 24.00
- (d) List any natural formations of existing man-made structures (hills, trees, water tanks, towers, etc.) which, in the opinion of the applicant, would tend to shield the antenna from aircraft: existing antenna

FCC FORM 442 Page 13 of 17

Action	Frequency	Station Class	Output Power/ERP	Mean/ Peak	Frequency Tolerance (+/-)	Emission Designator	Modulating Signal
New	495.00000000- 510.00000000 kHz	FX	100.000000 W / 20.000000 W	P			

(17)	Marshfield	MA	North	42	3	36	West	72	25	12	Mobile:
	Street	County									
	11 Walnut Street										

Datum: NAD 27

Is a directional antenna (other than radar) used? No

**Exhibit submitted: No** 

- (a) Width of beam in degrees at the half-power point:
- (b) Orientation in horizontal plane:
- (c) Orientation in vertical plane:

Will the antenna extend more than 6 meters above the ground, or if mounted on an existing building, will it extend more than 6 meters above the building, or will the proposed antenna be mounted on an existing structure other than a building? Yes

- (a) Overall height above ground to tip of antenna in meters: 21.00
- (b) Elevation of ground at antenna site above mean sea level in meters: 21.00
- (c) Distance to nearest aircraft landing area in kilometers: 3.00
- (d) List any natural formations of existing man-made structures (hills, trees, water tanks, towers, etc.) which, in the opinion of the applicant, would tend to shield the antenna from aircraft: existing antenna

Action	Frequency	Station Class	Output Power/ERP	Mean/ Peak	Frequency Tolerance (+/-)	Emission Designator	Modulating Signal
New	495.00000000- 510.00000000 kHz	FX	100.000000 W / 20.000000 W	P			

(18)	Green Harbor	MA	North	42	4	18	West	70	39	16	Mobile:
	Street	County									
	19 Pearl Street										

Datum: NAD 27

Is a directional antenna (other than radar) used? No

- (a) Width of beam in degrees at the half-power point:
- (b) Orientation in horizontal plane:
- (c) Orientation in vertical plane:

FCC FORM 442 Page 14 of 17

Will the antenna extend more than 6 meters above the ground, or if mounted on an existing building, will it extend more than 6 meters above the building, or will the proposed antenna be mounted on an existing structure other than a building? Yes

- (a) Overall height above ground to tip of antenna in meters: 18.00
- (b) Elevation of ground at antenna site above mean sea level in meters: 6.00
- (c) Distance to nearest aircraft landing area in kilometers: 0.32
- (d) List any natural formations of existing man-made structures (hills, trees, water tanks, towers, etc.) which, in the opinion of the applicant, would tend to shield the antenna from aircraft: existing antenna

Action	Frequency	Station Class	Output Power/ERP	Mean/ Peak	Frequency Tolerance (+/-)	Emission Designator	Modulating Signal
New	495.00000000- 510.00000000 kHz	FX	100.000000 W / 20.000000 W	P			

(19)	Batavia	IL	North	41	30	36	West	88	11	28	Mobile:
	Street	County									
	314 S. Harrison Street										

Datum: NAD 27

Is a directional antenna (other than radar) used? No

**Exhibit submitted: No** 

- (a) Width of beam in degrees at the half-power point:
- (b) Orientation in horizontal plane:
- (c) Orientation in vertical plane:

- (a) Overall height above ground to tip of antenna in meters: 9.00
- (b) Elevation of ground at antenna site above mean sea level in meters: 229.00
- (c) Distance to nearest aircraft landing area in kilometers: 13.00
- (d) List any natural formations of existing man-made structures (hills, trees, water tanks, towers, etc.) which, in the opinion of the applicant, would tend to shield the antenna from aircraft: existing antenna

Action	Frequency	Station Class	Output Power/ERP	Mean/ Peak	Frequency Tolerance (+/-)	Emission Designator	Modulating Signal
New	495.00000000- 510.00000000 kHz	FX	100.000000 W / 20.000000 W	Р			

(20)	Cottage Grove	OR	North	43	25	23	West	123	14	24	Mobile:

FCC FORM 442 Page 15 of 17

Street	County
32857 Fox Lane	

Datum: NAD 27

Is a directional antenna (other than radar) used? No

**Exhibit submitted: No** 

- (a) Width of beam in degrees at the half-power point:
- (b) Orientation in horizontal plane:
- (c) Orientation in vertical plane:

Will the antenna extend more than 6 meters above the ground, or if mounted on an existing building, will it extend more than 6 meters above the building, or will the proposed antenna be mounted on an existing structure other than a building? Yes

- (a) Overall height above ground to tip of antenna in meters: 43.00
- (b) Elevation of ground at antenna site above mean sea level in meters: 307.00
- (c) Distance to nearest aircraft landing area in kilometers: 13.00
- (d) List any natural formations of existing man-made structures (hills, trees, water tanks, towers, etc.) which, in the opinion of the applicant, would tend to shield the antenna from aircraft: existing antenna

Action	Frequency	Station Class	Output Power/ERP	Mean/ Peak	Frequency Tolerance (+/-)	Fmission	Modulating Signal
New	495.00000000- 510.00000000 kHz	FX	100.000000 W / 20.000000 W	P			

(21)	Colorado Springs	CO	North	38	48	44	West	104	51	5	Mobile:
	Street	County									
	905 Zodiac Drive										

Datum: NAD 27

Is a directional antenna (other than radar) used? No

**Exhibit submitted: No** 

- (a) Width of beam in degrees at the half-power point:
- (b) Orientation in horizontal plane:
- (c) Orientation in vertical plane:

- (a) Overall height above ground to tip of antenna in meters: 12.00
- (b) Elevation of ground at antenna site above mean sea level in meters: 1875.00
- (c) Distance to nearest aircraft landing area in kilometers: 32.00
- (d) List any natural formations of existing man-made structures (hills, trees, water tanks, towers, etc.) which, in the opinion of the applicant, would tend to shield the antenna from aircraft: existing antenna

FCC FORM 442 Page 16 of 17

Action	Frequency	Station Class	Output Power/ERP	Mean/ Peak	Frequency Tolerance (+/-)	Emission Designator	Modulating Signal
New	495.00000000- 510.00000000 kHz	FX	100.000000 W / 20.000000 W	P			

(22)	Buffalo	NY	North	42	53	24	West	80	2	24	Mobile:
	Street	County									
	445 Shirley Avenue										

Datum: NAD 27

Is a directional antenna (other than radar) used? No

**Exhibit submitted: No** 

- (a) Width of beam in degrees at the half-power point:
- (b) Orientation in horizontal plane:
- (c) Orientation in vertical plane:

Will the antenna extend more than 6 meters above the ground, or if mounted on an existing building, will it extend more than 6 meters above the building, or will the proposed antenna be mounted on an existing structure other than a building? Yes

- (a) Overall height above ground to tip of antenna in meters: 12.00
- (b) Elevation of ground at antenna site above mean sea level in meters: 30.00
- (c) Distance to nearest aircraft landing area in kilometers: 16.00
- (d) List any natural formations of existing man-made structures (hills, trees, water tanks, towers, etc.) which, in the opinion of the applicant, would tend to shield the antenna from aircraft: existing antenna

Action	Frequency	Station Class	Output Power/ERP	Mean/ Peak	Frequency Tolerance (+/-)	Emission Designator	Modulating Signal
New	495.00000000- 510.00000000 kHz	FX	100.000000 W / 20.000000 W	P			

(23)	Wyland	MA	North	42	21	<b>55</b>	West	71	20	8	Mobile:
	Street	County									
	157 Plain Road										

Datum: NAD 27

Is a directional antenna (other than radar) used? No

- (a) Width of beam in degrees at the half-power point:
- (b) Orientation in horizontal plane:
- (c) Orientation in vertical plane:

FCC FORM 442 Page 17 of 17

- (a) Overall height above ground to tip of antenna in meters: 18.00
- (b) Elevation of ground at antenna site above mean sea level in meters: 40.00
- (c) Distance to nearest aircraft landing area in kilometers: 12.00
- (d) List any natural formations of existing man-made structures (hills, trees, water tanks, towers, etc.) which, in the opinion of the applicant, would tend to shield the antenna from aircraft: existing antenna

Action	Frequency	Station Class	Output Power/ERP	Mean/ Peak	Frequency Tolerance (+/-)	Emission Designator	Modulating Signal
New	495.00000000- 510.00000000 kHz	FX	100.000000 W / 20.000000 W	Р		0K15A1A	50 baud
		Station	Output	Mean/	Frequency	Emission	Modulating